



North Island Laboratories

2755 B Moray Ave. Courtenay BC V9N 8M9 Tel: 250-338-7786
 532 B Comox Rd. Nanaimo BC V9R 3J1 Tel: 250-716-8731

Well Water Requisition Form

Client Information		Copy of Report to:	
Name:		Name: Agency:	
Address:		Email:	
Phone:		If your well services two or more homes, we strongly recommend that you contact local health authorities to find out how the <i>Drinking Water Protection Act</i> applies to this system. Please be aware that we are legally obligated to report results directly to local health authorities.	
Email:			
Sample ID: (i.e. house address...)		Source Information:	
Sample site: (kitchen tap, well head etc...)		<input type="checkbox"/> Well Depth: (feet/meters)	
		<input type="checkbox"/> Cistern <input type="checkbox"/> Rainwater Collection System	
		<input type="checkbox"/> Other	
Date & Time of sample collection:		Date of most recent well disinfection:	
Name of Sampler:		Is water treated?	
Tests Requested: (Tax not included)		Standard turn around time for bacteriology is 1 –3 days. All other testing is 10 business days.	
<input type="checkbox"/> Bacteriology \$ 40	<input type="checkbox"/> 32 Element Metal Scan \$ 70 (pH & Hardness incl.)	<input type="checkbox"/> Tannin/Lignin \$ 28	
<input type="checkbox"/> Home Safety Scan \$ 155	Individual Metals: \$20 sample prep + \$10 per metal	<input type="checkbox"/> TDS \$ 5	
<input type="checkbox"/> Comprehensive Drinking Water Scan \$ 245		<input type="checkbox"/> Turbidity \$ 7	
<input type="checkbox"/> Anion Scan \$ 50 Nitrate, Nitrite, Sulphate, Chloride, Fluoride \$15 e	<input type="checkbox"/> Aluminum <input type="checkbox"/> Manganese <input type="checkbox"/> Antimony <input type="checkbox"/> Molybdenum <input type="checkbox"/> Arsenic <input type="checkbox"/> Nickel <input type="checkbox"/> Barium <input type="checkbox"/> Phosphorous <input type="checkbox"/> Beryllium <input type="checkbox"/> Potassium <input type="checkbox"/> Bismuth <input type="checkbox"/> Selenium <input type="checkbox"/> Boron <input type="checkbox"/> Silicon <input type="checkbox"/> Cadmium <input type="checkbox"/> Silver <input type="checkbox"/> Calcium <input type="checkbox"/> Sodium <input type="checkbox"/> Chromium <input type="checkbox"/> Strontium <input type="checkbox"/> Cobalt <input type="checkbox"/> Thallium <input type="checkbox"/> Copper <input type="checkbox"/> Tin <input type="checkbox"/> Iron <input type="checkbox"/> Titanium <input type="checkbox"/> Lead <input type="checkbox"/> Uranium <input type="checkbox"/> Lithium <input type="checkbox"/> Vanadium <input type="checkbox"/> Magnesium <input type="checkbox"/> Zinc	<input type="checkbox"/> UVT \$ 25	
<input type="checkbox"/> Alkalinity \$ 15		<input type="checkbox"/> Colour \$ 15	
<input type="checkbox"/> Cation Scan \$ 25 Calcium, Magnesium, Sodium		<input type="checkbox"/> Other/Notes:	
<input type="checkbox"/> Hardness \$ 20			
<input type="checkbox"/> pH \$ 5		Lab No:	
		Payment:	